

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

P.S. - Irrigation & CAD Department -- Disciplinary action against G. Sri Prasada Rao, Chief Engineer (Rtd) for misconduct in respect of irregularities committed in Vamsadhara Shuttters scandal, Srikakulam District - Sanction under Rule 9 of APRP Rules, 1980 - Accorded.

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT
G.O.Ms.No. 280Dated:31-10-2009

O R D E R:

Whereas it has been brought to the notice of the Government that Sri G. Prasada Rao, Chief Engineer (Rtd) during his incumbency as Chief Engineer, North Coast, Visakhapatnam has been alleged to have committed misconduct in respect procurement of Vamsadhara Shuttters in Srikakulam District.

2. Therefore Government have come to conclusion after examination that there exists a prima facie case to initiate Departmental action against Sri G. Prasada Rao, Chief Engineer (Rtd) .

3. Now, therefore sanction is accorded under sub clause (i) under clause (b) of sub rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 to initiate Departmental Proceedings against the said Sri G. Prasada Rao, Chief Engineer (Rtd) .

4. It is further directed that the said Departmental proceedings shall be conducted in accordance with the procedure laid down in rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri G.Prasada Rao, Chief Engineer (Rtd) through Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Engineer-in-Chief (AW),I& CAD Department, Hyderabad

// FORWARDED :: BY ORDER//

SECTION OFFICER